

How to Force a Compile in yab - AB-06940

How to Question/Statement:



How to recompile all source code with yab.

How to force a compile of all code with yab even if source code has not changed.

Answer/Instructions:



For an explanation of why yab does not automatically compile unchanged source code, see [YAB compiler is no longer compiling](#).

In order to force a recompile of all source code, use the -force option with the appropriate yab update process. This option allows a full compile of all source code even if no code changes have been made. For example:

For Operational MFG code: `yab -force code-mfg-update`

For Financials code: `yab -force code-fin-update`

For Qxtend Inbound adapter code and triggers: `yab -force code-qxi-update`

For Qxtend Outbound: `yab -force code-qxo-update`

To list which files would be compiled (and removed) without actually performing the compile, use the -nocompile option. For example:

`yab -nocompile code-mfg-update`

-force and -nocompile can be used together to verify that all source code will be recompiled. For example:

`yab code-mfg-update -force -nocompile`

Use yab help to see these options:

`yab help code-mfg-update`

Environment/Conditions:

2016 Enterprise Edition

2015 Enterprise Edition

yab - Your Application Builder

Compile Code

-force

-nocompile

Rate This Article:

If you used this article to help resolve a question or if the article needs to be reviewed by a Support Representative, please take a moment to rate the article.

1. Click on Tools in the top right corner
2. Click on Rate Article Quality
3. Select the appropriate rating
4. Click Rate button

Attachments

File	Modified
------	----------

No files shared here yet.